







Forme	Module		
	<p><u>Disque, plaque avec</u> $a \geq 5d$ $M = \frac{d}{2}$</p>		
	<p><u>Barre longue</u> $M = \frac{a \times b}{2(a+b)}$</p> <p>$M = \frac{V}{S} = \frac{a \times b \times L}{a \times L \times 2 + b \times L \times 2} = \frac{a \times b \times L}{2L(a+b)} = \frac{a \times b}{2(a+b)}$</p> <p>$M = \frac{a \times b}{2(a+b) - c}$ $c = \text{surface non refroidie}$</p> 		
	<p><u>Cube</u></p> <p>$M = \frac{a}{6}$</p> <p>$\frac{V}{S} = \frac{a^3}{6a^2} = \frac{a}{6}$</p>	<p><u>Cylindre</u></p> <p>$M = \frac{a}{6}$</p>	<p><u>Sphère</u></p> <p>$M = \frac{a}{6}$</p> <p>$\frac{V}{S} = \frac{a^3 \times \pi}{6a^2 \times \pi} = \frac{a}{6}$</p>
	<p><u>Cylindre plein</u> $M = \frac{r \times h}{2(r+h)}$</p> <p>$\frac{V}{S} = \frac{r^2 \times \pi \times h}{r^2 \times \pi \times 2 + 2\pi r h} = \frac{r^2 \times \pi \times h}{2\pi(r+h)} = \frac{r \times h}{2(r+h)}$</p>		
	<p><u>Anneau, cylindre creux</u></p> <p>$M = \frac{a \times b}{2(a+b)}$</p>		